



feel  
**free**

to **talk** to **meet** to **work**

**hushfree.L**

  
**hushoffice**

# hushfree.L

HushFree.L is an acoustic pod with an acoustic class A according to the ISO 23351-1:2020 standard, with new lighting with an intensity of 500 lux at the level of the tabletop. It allows you to spend a lot more time meeting and chatting online while maintaining peace and quiet. The pod is an ideal alternative to traditional conference rooms. It works great for larger business meetings, presentations, video conferences in a larger group, and team meetings – both stationary and online.

Design the interior yourself or choose ready-made table and sofas – two or four – and additional coffee tables. HushFree.L allows you to conduct meetings for 4-6 people depending on the selected configuration.




## FEEL THE FREEDOM OF CHOOSING HOW AND WHERE YOU WORK!

### LEARN MORE ABOUT HUSHFREE.L ACOUSTIC POD

- 1 LED ceiling lighting activated by a motion sensor with adjustable light intensity
- 2 efficient ventilation activated by a motion sensor
- 3 upper panel prepared for connecting sprinklers and smoke detector
- 4 front and back walls made of acoustic glass
- 5 tempered laminated door made of acoustic glass with a handrail
- 6 integrated power module
- 7 high-resolution touchscreen to control pod settings, adjust lighting and airflow, and extend calendar reservations
- 8 acoustic panels
- 9 acoustic floor covering
- 10 integrated wheels
- 11 stable levelling feet
- 12 two or four free-standing upholstered sofas (optional)
- 13 table (optional)
- 14 coffee tables (1 or 2 – optional)
- 15 TV mounting kit (optional)
- 16 pod occupancy sensor (optional)
- 17 possibility of seismic anchoring

## LONGER VIDEO CONFERENCES, ONLINE CALLS, PRESENTATIONS AND MEETINGS IN LARGER GROUPS JUST GOT BETTER!



### EXCEPTIONAL ACOUSTIC COMFORT

High class A acoustic comfort according to the ISO 23351-1:2020 standard for office acoustic booths.



### BREATH EASIER – STAY LONGER

The new ventilation system in the pod circulates the air in the pod even faster, ensuring optimal working conditions.



### EVEN BETTER LIGHTING FOR AN EFFICIENT WORKPLACE

The new LED lighting system in the pod provides lighting with a light temperature of 4000 K and 500 lux at the tabletop level for even more effective work.



### CONFIGURE THE POD AS YOU WANT

The universal design of the acoustic pod makes it fit into the interior of any office space. You can equip the pod the way you want – according to your needs and preferences.



### MOBILITY – FEEL THE FREEDOM OF CHOOSING A LOCATION

The pod has built-in wheels, thanks to which it can be freely moved around the office without having to dismantle it.



### NEURODIVERSITY – WE SUPPORT INTEGRATED TEAMS

The pod is CAR certified (Certified Autism Resource) – creates a working environment that takes into account the needs of atypical people in terms of work organization, space, communication and perception.



## FINISHES

Upholstery

Athlon Plus / Athlon **Gabriel**



Tabletop



Glass



Frame



Case



## DIMENSIONS AND TECHNICAL DATA



**1-6**

**External dimensions** of the pod (WxDxH):  
86.92 x 109.44 x 90.55 in

- **acoustics A** – speech level reduction measured in accordance with the ISO 23351:2020 standard
- **total air flow:** 8 fans with a maximum airflow 377 CFM, 62 s / 58 l/s
- **LED lighting** with a colour temperature of 4000 K (adjusted in the range of 2200-6500 K) and an intensity of 500 lux at desk level
- structure prepared for anti-seismic ground fixing

## EQUIPMENT



### HUSHASSISTANT

HushAssistant is a 4-inch round, high-resolution touchscreen lighting and ventilation controller. It allows users to manage and adjust their lighting and airflow settings. HushAssistant can adjust brightness, color and activate scenes (moods) for different needs. HushAssistant also provides airflow adjustments to improve air quality and energy efficiency. Part of HushAssistant's functionality is to manage and display meeting room availability. Prepared for integration into the product's power supply. The system supports integration with the Microsoft 365 Business platform.



### HUSHDOOR.LIMITER

Door opening limiter that can be fitted to the top and bottom hinges (2 pcs). Once fitted, the acoustic pod door opens to a maximum angle of 130 degrees.



### HUSHCOFFEETABLE.L (OPTIONAL)

Dimensions (WxDxH) 15.09 x 16.47 x 22.48 in. Made of 0.70 in thick plywood. Maximum load 11 lbs. Available in two types of finishes: white and velvet black.




### HUSHSOFA.MEDIUM.RH/LH (OPTIONAL)

Sofas made of the Athlon fabric, in the same as acoustic panels colours. The sofas are available in uniform colour or in a combination of any colour of the seat with a light or dark grey backrest. Maximum load 600 lbs.



### HUSHCONFERENCE TABLE.L (OPTIONAL)

Dimensions (WxDxH) 51.18 x 43.22 x 28.93 in. Made of 0.70 in thick plywood. Maximum load 55 lbs. Available in two types of finishes: white and velvet black.



### HUSHOCCUPANCY.SIGN (OPTIONAL)

Activated by a motion sensor to signal the pod occupancy when in use.



### HUSHSCREEN.SET (OPTIONAL)

The TV mounting bracket allows you to hang your TV on the central column. The holder is based on the VESA standard and allows the installation of screens with a spacing of mounting holes from 2.95 x 2.95 to 7.87 x 7.87 in and a maximum weight of 49.60 lbs.



### HUSHSCREEN.BRACKET (OPTIONAL)

The holder is based on the VESA standard and allows the installation of screens with a spacing of mounting holes from 2.95 x 2.95 to 7.87 x 7.87 in and a maximum weight of 49.60 lbs.

The manufacturer reserves the right to make structural changes and changes in parameters that do not impair the usability of the products. The colours presented in the catalogue may differ from the actual colours of the products. The above offer is informative and does not constitute a commercial offer.

For more details, please visit our website

**hushoffice.com**



**hushfree**



**Manufacturer:** Fabryka Mebli Biurowych Mikomax sp. z o.o., 93-231 Łódź ul. Dostawcza 4, Polska | **Distributor:** Mikomax sp. z o.o., 93-231 Łódź ul. Dostawcza 4, Polska